



**2013 Green Building Standards Code  
Non-Compliant Plumbing Fixture Replacement Requirements  
Effective January 1, 2014**


**2013 California Green Building Code 301.1.1**

**Effective January 1, 2014** all residential buildings undergoing permit alteration, additions, or improvements shall replace non-compliant plumbing fixtures with water-conserving plumbing fixtures. Plumbing fixture replacement is required prior to issuance of final completion, certificate of occupancy, or final permit approval by the local Building Department. See Civil Code Section 1101.1, et seq. for the definition of a non-compliant plumbing fixture, types of residential buildings affected and important enactment dates. **Applies to all structures finalized prior to January 1st, 1994.**

**Civil Code Section 1101.3(c)**

**"Noncompliant plumbing fixture means"**

- (1) Any toilet manufactured to use more than 1.6 gallons of water per flush.
- (2) Any urinal manufactured to use more than one gallon of water per flush.
- (3) Any showerhead manufactured to have a flow capacity of more than 2.5 gallons of water per minute.
- (4) Any interior faucet that emits more than 2.2 gallons of water per minute.



Bathroom Faucets: \_\_\_\_\_ qty

Shower / Bathtub: \_\_\_\_\_ qty

Toilets / Urinals: \_\_\_\_\_ qty

Kitchen & all Other Faucets: \_\_\_\_\_ qty

I hereby certify that I have replaced or tested, or have had an individual under my direction replace or test all plumbing fixtures, covered by Civil Code Section 1101.3(c) for the address and permit number listed below:

**Address:** \_\_\_\_\_

**Permit Number:** \_\_\_\_\_

\_\_\_\_\_  
Property Owner's or Contractor's Name

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature Owner or Contractor

\_\_\_\_\_  
Date